


DLF2137 / DLH2137

21.5" Wide TFT LCD, LED Backlight 1400nits,FHD (1920x1080)

21.5" wide is a full high definition (FHD) LCD panel, built-in 1400 nits high bright for sunlight readable LCD display, high transmittance color filter, high transmission polarizing plates, Low Power Consumption, suitable for kiosk, advertising, POS, marline, transportation, gaming, studio display, gas pump.



KEY FEATURES

- Sunlight Readable
- LED Backlight
- High Shock & Vibration Resistance
- Low Power Consumption
- High Uniformity
- Low EMI Noise
- Wide Dimming
- Life Expectancy

SPECIFICATIONS


Model No.	DLF2137 / DLH2137
Description	21.5" Wide TFT LCD, LED Backlight 1400 nits, FHD
Display Area (mm)	476 (H) x 267.7(V)
Brightness	1,400 cd/m ²
Resolution	1920 x 1080 (FHD)
Contrast Ratio	1300 : 1
Pixel Pitch (mm)	0.08265(H) x 0.24795(V)
Viewing Angle	178°(H), 178°(V)
Display Colors	16.7M
Response Time (Typical)	5ms
Sync	LVDS
Power Consumption	45W / 50W
Dimensions (mm)	497.6(W) x 292.2(H) x 13.35(D)mm
Weight (Net)	1.79 Kg
LED Driving Board	LID21
Control Board (Optional)	<input type="checkbox"/> AD2662GD <input type="checkbox"/> AD2662GDVAR
<input type="checkbox"/> AD2662GD	VGA+DVI
<input type="checkbox"/> AD2662GDVAR	VGA+DVI (Optional S-Video/ Component / Audio)
F / R Control Button	<input type="checkbox"/> 4 Key <input type="checkbox"/> 5 Key
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-),
<input type="checkbox"/> 5 Key	Power Switch, Menu, Select (+,-), Auto
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...
Optional	<input type="checkbox"/> AOT <input type="checkbox"/> Touch Screen

*Specifications are subject to change without notice. **All brands or product names are trademarks or registered trademarks of their respective companies.

DLF= Panel+LED Driving Board

DLH= Panel+LED Driving Board+Control Board

- Note :
1. GENERAL TOLERANCE: ±0.5mm
 2. I/F CONNECTOR SPECIFICATION: IS100L300-C23 (UU)
 3. ALLOW ED DEPTH OF USERHOLE SCREW INSERTION IS 3.8mm MAX.
 4. USER SCREW TORQUE=4.0 kgf/cm MAX.



REV	ECN NO.	DESCRIPTION	SIGN	DATE
V1	-	正式承認發行	Morgan Wu	201403/10

APPROVED	CHECKED	DESIGNED	LEVEL	General tolerance	±	SELECT	MATERIAL
		Morgan Wu	0 - 4	1	0.1	2	
			4 - 14	0.15	0.2	3	
			14 - 50	0.2	0.3		
			50 - 650	0.3	0.5		
			650 - 4000	0.5	1.0		

UNIT	SCALE	VEIGHT	INSEL GENERAL TOLERANCE	3rd Angle	ORIGINAL MODEL
MM	1:1	-			LG2157V1

TITLE: LG2157 V1-Outline Dimension Drawing

DRAWING NO/PART NO: 911621577/01

DESCRIPTION: VHB LG 2157 1400mmxV1 L/MZ15WF3-SL.K1 Mylar P

Litemax Litemax Electronic Inc. SIZE: A4 SH: 2-2 REV: V1