

# SSF\_SSH2825 V3

28" Resizing LCD, Brightness is 1000 nits, LED backlight,  
1366x254 ultra wide aspect ratio 16:3

SSF\_SSH2825 V3 is an innovative ultra-wide, LED backlight LCD display. It provides LCD panel with specific ratios for digital signage, public transportation, exhibition hall, department store, and vending machine.



## KEY FEATURES

- Resizing LCD
- Ultra Wide Screen (16 : 3)
- LED Backlight
- High Brightness 1000nits
- Low Power Consumption
- Wide Viewing Angle
- High Uniformity
- Wide Dimming
- Life Expectancy

## SPECIFICATIONS

Model No.	SSF/SSH2825 V3
Description	28" Resizing LCD Module, 1000nits, LED backlight, 1366x254
Display Area (mm)	697.685 x 129.7 mm
Brightness	1000nits
Resolution	1366 x 254
Aspect Ratio	16 : 3
Contrast Ratio	3000:1
Pixel Pitch (mm)	0.51 x 0.51
Viewing Angle	178°(H), 178°(V)
Display Colors	16.7M
Response Time (Typical)	6.5 ms
Power Consumption	24W / 28W
Dimensions (mm)	735.4x170.5x16.9mm
Weight (Net)	2.4Kg / 2.5 Kg
LED Driving Board	LID28A04
Control Board (Optional)	<input type="checkbox"/> AD2662GD <input type="checkbox"/> AD2662GDHM
<input type="checkbox"/> AD2662GD	VGA + DVI
<input type="checkbox"/> AD2662GDHM	VGA (Optional DVI / HDMI)
F/R Control Button	<input type="checkbox"/> 4 key
<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-)
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock . . .
Optional	<input type="checkbox"/> AOT <input type="checkbox"/> Touch Screen

\*Specifications are subject to change without notice. \*\*All brands or product names are trademarks or registered trademarks of their respective companies.

SSF= Panel+LED Driving Board • SSH= Panel+ LED Driving Board + AD Control Board



